LUMITECH



END CAPS



LED End Cap Z22W



LED End Cap Z22W with Cable Entry



LED End Cap for Profile Z201



LED Strain Relief F2x0.75



LED End Cap Z40



LED End Cap Z40 with Cable Entry



LED END CAP Z201 Flat SR grey




LED END CAP Z201 Round SR grey



III LED END CAP Z22W





Size in mm

- End Caps for PROFILE Z22W
- Material: Aluminium
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	19,8 x 1,5 x 20,2 mm
Weight	0,002 kg

RoHS


III ORDERING DATA - LED END CAP Z22W

Туре	Art. Nr.
LED END CAP Z22W	24139174

Packaging: 10pc. p. packaging, carton, 100pc.

III LED END CAP Z22W WITH CABLE ENTRY





Size in mm

- End Caps for PROFILE Z22W
- Material: Aluminium
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	19,8 x 1,5 x 20,2 mm
Weight	0,002 kg

RoHS

■ ORDERING DATA – LED END CAP Z22W with cable entry


Туре	Art. Nr.
LED END CAP Z22W with cable entry	24139173

Packaging: 10pc. p. packaging, carton, 100pc.



III LED END CAP FOR PROFILE Z201





• End Caps for PROFILE Z201

Material: PBTColour: Grey

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	23,0 x 7,8 x 18,8 mm
Weight	0,002 kg

RoHS

III ORDERING DATA - LED END CAP for profile Z201


Туре	Art. Nr.
LED END CAP for profile Z201	24166334

Packaging: 500pc. p. packaging, carton, 6000pc.

III LED STRAIN RELIEF F2X0.75

Size in mm





- Strain Relief
- Material: Aluminium
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	12,5 x 6,0 x 4 mm
Weight	0,002 kg

RoHS


III ORDERING DATA - LED STRAIN RELIEF F2x0.75

Туре	Art. Nr.
LED STRAIN RELIEF F2x0.75	24166102

Packaging: 100pc. p. packaging, carton, 1000pc.



III LED END CAP Z40 WITH CABLE ENTRY



- End Caps for PROFILE Z40
- Material: Aluminium
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	24,8 x 1,5 x 35 mm
Weight	0,003 kg


RoHS

III ORDERING DATA - LED END CAP Z40 WITH CABLE ENTRY

Туре	Art. Nr.
LED END CAP Z40 with cable entry	24139176

Packaging: 10pc. p. packaging, carton, 100pc.

III LED END CAP Z40



Size in mm

- End Caps for PROFILE Z40
- Material: Aluminium
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	24,8 x 1,5 x 35 mm
Weight	0,003 kg

RoHS


III ORDERING DATA - LED END CAP Z40


Туре	Art. Nr.
LED END CAP Z40	24139177

Packaging: 10pc. p. packaging, carton, 100pc.



III LED END CAP Z201 FLAT SR GREY





- End Caps for PROFILE Z201
- Can only be used with the COVER FLAT
- Material: PBT
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	24,3 x 10 x 15 mm
Weight	2,8g



III ORDERING DATA - LED END CAP Z201 FLAT SR GREY

Туре	Art. Nr.
LED END CAP Z201 for Cover Flat	24139178

Packaging: 10pc. p. packaging, carton, 50pc.


Mounting Notes

- 1 Put the strain relief on the profile
- ② Break off the intermediate part (this part is not needed)
- 3 Mount the end cap

When using the integrated strain relief, use an AWG20 dual cable and put it between the strain relief and the end cap

III LED END CAP Z201 ROUND SR GREY





- End Caps for PROFILE Z201
- Can be used with COVERS and following lenses: 15°, 30°, 60°, 90°, Asymmetric
- Material: PBT
- Screws are included

III TECHNICAL DATA

Ambient temperature finally installed	-30 +80 °C
Ambient temperature during mounting the engine or the profile	+10 +30 °C
Dimensions L x W x H	24,3 x 10 x 20,5 mm
Weight	4,1g

RoHS

III ORDERING DATA - LED END CAP Z201 ROUND SR GREY

Туре	Art. Nr.
LED END CAP Z201 Round SR grey	24139179

Packaging: 5pc. p. packaging, carton, 50pc.

Mounting Notes

- 1 Put the strain relief on the profile
- ② Break off the intermediate part (this part is not needed)
- 3 Mount the end cap

When using the integrated strain relief, use an AWG20 dual cable and put it between the strain relief and the end cap $\frac{1}{2}$