
# **LUMITECH**





### Quick-Connection-System (QCS)

Quick Connection System (QCS) provides a quick and convenient way to connect LED engines and converters for refrigeration units.

### **III** QCS APPLICATIONS


## • Electrical connection of between engines and also between engines and converters


#### **III** QCS HIGHLIGHTS

- Maximum flexibility for connecting devices
- Simple and convenient solution for a wide range of connection combinations

### **III** PROPERTIES OF QCS


- Electrical connection system
- QCS consists of power cables (Feeder Cable) and connecting cables (Bridges) of different lengths, plus distribution boxes (Feeder Link)
- The LED engines are equipped with Quick-Connection-end caps for rapid connection





### III QCS | BRIDGES





- Bridge for connecting two linear LED engines via QCS
- Bridge for connecting a linear LED engine to a feeder link via QCS

### **III ORDERING DATA -** Bridges

Length	Weight	Туре	Art. Nr.
30 mm	0.004 kg	LED Bridge QCS 30 **	89601262
50 mm	0.004 kg	LED Bridge QCS 50 **	89601263
100 mm	0.005 kg	LED Bridge QCS 100 **	89601264
250 mm	0.007 kg	LED Bridge QCS 250 **	89601265
400 mm	0.009 kg	LED Bridge QCS 400 **	89601266
800 mm	0.016 kg	LED Bridge QCS 800 **	89601267
1,200 mm	0.022 kg	LED Bridge QCS 1200 *	89601268
2,000 mm	0.034 kg	LED Bridge QCS 2000 *	89601269
Dealerston	* 05 -:/		000 -:/

Packaging: \* 25 pieces/carton, 400 pieces/pallet | \*\* 50 pieces/carton, 800 pieces/pallet Also available in black.




## Quick-Connection-System (QCS)

### **III QCS |** FEEDER CABLE



• Feeder cable for connecting a linear LED engine to a converter via QCS



### **III ORDERING DATA - Feeder Cable**

Length	Weight	Туре	Art. Nr.	
500 mm	0.009 kg	LED Feeder QCS 500 **	89601258	
1.000 mm	0.017 kg	LED Feeder QCS 1000 **	89601259	
1.500 mm	0.025 kg	LED Feeder QCS 1500 *	89601260	
2.000 mm	0.033 kg	LED Feeder QCS 2000 *	89601261	
4.000 mm	0.065 kg	LED Feeder QCS 4000 ***	89601601	

### **III QCS |** FEEDER LINK



RoHS

- Flexible feeder link for connecting several linear LED engines to a converter
- Slots equipped with double-sided adhesive tape

### III ORDERING DATA - Feeder Link

Length	Spacing	Туре	Art. Nr.
10m	108 mm	LED Feeder Link QCS	88711762

Packaging: 1 roll corresponds to 10m with 92 slots

### **III QCS |** PROTECTION SET



• Cover to protect QCS connectors

### **III ORDER DATA -** Protection Set

Туре	Art. Nr.
LED Protection Set QCS	88167413

Packaging: 1 bag (holds 10 sets)

Packaging:
\* 25 pieces/carton. 400 pieces/pallet | \*\* 50 pieces/carton. 800 pieces/pallet | \*\*\* 10 pieces/carton Also available in black.